

English Disability	Run_	Exact			Partial		
		Precision	Recall	F1	Precision	Recall	F1
UC3M_018_1	1	0,778	0,72	0,748	0,822	0,761	0,791
	2	0,759	0,663	0,708	0,835	0,728	0,778
	3	0,775	0,65	0,707	0,828	0,695	0,756
SINAI_018_1	1	0,016	0,593	0,032	0,019	0,704	0,038
	2	0,222	0,428	0,293	0,252	0,486	0,332
	3	0,625	0,37	0,465	0,688	0,407	0,512
LSI_018_1	1	0,633	0,597	0,614	0,808	0,761	0,784
	2	0,639	0,597	0,617	0,815	0,761	0,787
	3	0,671	0,597	0,632	0,856	0,761	0,806
UPC_018_1	1	0,378	0,058	0,1	0,432	0,066	0,114
GPLSIUA_018_1	1	0,881	0,243	0,381	0,94	0,259	0,406
	2	0,884	0,251	0,391	0,913	0,259	0,404
UPC_018_3	1	0,799	0,605	0,689	0,875	0,663	0,754
	2	0,795	0,605	0,687	0,865	0,658	0,748
	3	0,655	0,617	0,636	0,742	0,7	0,72
IXA_018_2	1	0,701	0,531	0,604	0,761	0,576	0,656
	2	0,706	0,494	0,581	0,788	0,551	0,649
IxaMed	1	0,786	0,86	0,821	0,842	0,922	0,88
UPC_018_2	1	0,756	0,56	0,643	0,822	0,609	0,7

This table shows the results obtained evaluating the annotation of all disabilities in English (included or not in a negation). Both partial and exact evaluation results are included.

English Negated Disability		Exact			Partial		
	Run_	Precision	Recall	F1	Precision	Recall	F1
UC3M_018_1	1	0	0	0	1	0,043	0,083
	2	0	0	0	0,875	0,304	0,452
	3	0	0	0	1	0,609	0,757
SINAI_018_1	1	0,25	0,391	0,305	0,556	0,87	0,678
	2	0,306	0,478	0,373	0,556	0,87	0,678
	3	0,526	0,435	0,476	1	0,826	0,905
LSI_018_1	1	0,176	0,13	0,15	0,824	0,609	0,7
	2	0,188	0,13	0,154	0,875	0,609	0,718
	3	0,188	0,13	0,154	0,875	0,609	0,718
UPC_018_1	1	0	0	0	0	0	0
GPLSIUA_018_1	1	0,647	0,478	0,55	0,941	0,696	0,8
	2	0,611	0,478	0,537	0,889	0,696	0,78
UPC_018_3	1	0,773	0,739	0,756	0,955	0,913	0,933
	2	0,773	0,739	0,756	0,955	0,913	0,933
	3	0,696	0,696	0,696	0,913	0,913	0,913
IXA_018_2	1	0,667	0,435	0,526	1	0,652	0,789
	2	0,75	0,391	0,514	1	0,522	0,686
IxaMed	1	0,476	0,435	0,455	1	0,913	0,955
UPC_018_2	1	0,647	0,478	0,55	0,941	0,696	0,8

This table only includes the results of the evaluation of the annotation of negated disabilities in English. For this evaluation, we have considered as negated disability the set of annotations [disability, negation trigger and scope of the negation]. Both partial and exact evaluation data are shown.

English Non-negated Disability + Negated Disability		Exact			Partial		
	Run_	Precision	Recall	F1	Precision	Recall	F1
UC3M_018_1	1	0.749	0.626	0.682	0.803	0.671	0.731
	2	0.706	0.572	0.632	0.817	0.663	0.732
	3	0.712	0.609	0.656	0.832	0.712	0.767
SINAI_018_1	1	0.015	0.543	0.029	0.019	0.691	0.037
	2	0.199	0.395	0.264	0.242	0.481	0.322
	3	0.573	0.337	0.425	0.685	0.403	0.508
LSI_018_1	1	0.616	0.568	0.591	0.79	0.728	0.758
	2	0.624	0.568	0.595	0.801	0.728	0.763
	3	0.657	0.568	0.609	0.843	0.728	0.781
UPC_018_1	1	0,314	0,045	0,079	0,371	0,053	0,094
GPLSIUA_018_1	1	0.812	0.23	0.359	0.942	0.267	0.417
	2	0.806	0.239	0.368	0.903	0.267	0.413
UPC_018_3	1	0.772	0.584	0.665	0.87	0.658	0.749
	2	0.768	0.584	0.664	0.859	0.654	0.743
	3	0.626	0.593	0.609	0.735	0.695	0.715
IXA_018_2	1	0,672	0,49	0,567	0,757	0,551	0,638
	2	0,685	0,457	0,548	0,784	0,523	0,627
IxaMed	1	0.746	0.811	0.777	0.841	0.914	0.876
UPC_018_2	1	0.724	0.519	0.604	0.822	0.588	0.686

This table shows the results for English obtained evaluating jointly the annotation of disabilities and negation (negated disability are considered correct if both negation and disability are correct). Both partial and exact evaluation results are included.