

| Spanish Disability | Run_ | Exact | | | Partial | | |
|--------------------|------|-----------|--------|-------|-----------|--------|-------|
| | | Precision | Recall | F1 | Precision | Recall | F1 |
| UC3M_018_1 | 1 | 0,801 | 0,651 | 0,718 | 0,882 | 0,716 | 0,79 |
| | 2 | 0,818 | 0,646 | 0,722 | 0,878 | 0,694 | 0,776 |
| | 3 | 0,801 | 0,563 | 0,662 | 0,876 | 0,616 | 0,723 |
| SINAI_018_1 | 1 | 0,022 | 0,485 | 0,042 | 0,026 | 0,568 | 0,05 |
| | 2 | 0,181 | 0,415 | 0,252 | 0,204 | 0,467 | 0,284 |
| | 3 | 0,459 | 0,345 | 0,394 | 0,512 | 0,384 | 0,439 |
| LSI_018_1 | 1 | 0,393 | 0,249 | 0,305 | 0,841 | 0,533 | 0,652 |
| | 2 | 0,396 | 0,249 | 0,306 | 0,847 | 0,533 | 0,654 |
| | 3 | 0,41 | 0,249 | 0,31 | 0,842 | 0,511 | 0,636 |
| UPC_018_1 | 1 | 0,15 | 0,052 | 0,078 | 0,225 | 0,079 | 0,117 |
| GPLSIUA_018_1 | 1 | 0,813 | 0,17 | 0,282 | 0,958 | 0,201 | 0,332 |
| | 2 | 0,796 | 0,17 | 0,281 | 0,959 | 0,205 | 0,338 |
| UPC_018_3 | 1 | 0,814 | 0,594 | 0,687 | 0,898 | 0,655 | 0,758 |
| | 2 | 0,807 | 0,603 | 0,69 | 0,889 | 0,664 | 0,76 |
| | 3 | 0,67 | 0,603 | 0,634 | 0,743 | 0,668 | 0,703 |
| IXA_018_2 | 1 | 0,65 | 0,642 | 0,646 | 0,721 | 0,712 | 0,716 |
| | 2 | 0,641 | 0,616 | 0,628 | 0,705 | 0,677 | 0,69 |
| | 3 | 0,636 | 0,655 | 0,645 | 0,712 | 0,734 | 0,723 |
| IxaMed | 1 | 0,757 | 0,817 | 0,786 | 0,822 | 0,886 | 0,853 |
| UPC_018_2 | 1 | 0,732 | 0,502 | 0,596 | 0,828 | 0,568 | 0,674 |

This table shows the results obtained evaluating the annotation of all disabilities in Spanish (included or not in a negation). Both partial and exact evaluation results are included.

| Spanish Negated Disability | Run_ | Exact | | | Partial | | |
|----------------------------|------|-----------|--------|-------|-----------|--------|-------|
| | | Precision | Recall | F1 | Precision | Recall | F1 |
| UC3M_018_1 | 1 | 0 | 0 | 0 | 1 | 0,136 | 0,24 |
| | 2 | 0 | 0 | 0 | 0,909 | 0,455 | 0,606 |
| | 3 | 0 | 0 | 0 | 1 | 0,682 | 0,811 |
| SINAI_018_1 | 1 | 0 | 0 | 0 | 0,125 | 0,045 | 0,067 |
| | 2 | 0,333 | 0,045 | 0,08 | 0,667 | 0,091 | 0,16 |
| | 3 | 0,667 | 0,091 | 0,16 | 1 | 0,136 | 0,24 |
| LSI_018_1 | 1 | 0 | 0 | 0 | 0,75 | 0,136 | 0,231 |
| | 2 | 0 | 0 | 0 | 0,75 | 0,136 | 0,231 |
| | 3 | 0 | 0 | 0 | 0,75 | 0,136 | 0,231 |
| UPC_018_1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| GPLSIUA_018_1 | 1 | 0 | 0 | 0 | 0,5 | 0,091 | 0,154 |
| | 2 | 0 | 0 | 0 | 0,4 | 0,091 | 0,148 |
| UPC_018_3 | 1 | 0,647 | 0,5 | 0,564 | 0,941 | 0,727 | 0,821 |
| | 2 | 0,647 | 0,5 | 0,564 | 0,941 | 0,727 | 0,821 |
| | 3 | 0,688 | 0,5 | 0,579 | 1 | 0,727 | 0,842 |
| IXA_018_2 | 1 | 1 | 0,545 | 0,706 | 1 | 0,545 | 0,706 |
| | 2 | 0,929 | 0,591 | 0,722 | 0,929 | 0,591 | 0,722 |
| | 3 | 0,923 | 0,545 | 0,686 | 1 | 0,591 | 0,743 |
| IxaMed | 1 | 0,889 | 0,727 | 0,8 | 1 | 0,818 | 0,9 |
| UPC_018_2 | 1 | 0,737 | 0,636 | 0,683 | 0,895 | 0,773 | 0,829 |

This table only includes the results of the evaluation of the annotation of negated disabilities in Spanish. For this evaluation, we have considered as negated disability the set of annotations [disability, negation trigger and scope of the negation]. Both partial and exact evaluation data are shown.

| Spanish Non-negated Disability + Negated Disability | Exact | | | | Partial | | |
|---|-------|-----------|--------|-------|-----------|--------|-------|
| | Run_ | Precision | Recall | F1 | Precision | Recall | F1 |
| UC3M_018_1 | 1 | 0,769 | 0,568 | 0,653 | 0,864 | 0,638 | 0,734 |
| | 2 | 0,749 | 0,559 | 0,64 | 0,865 | 0,646 | 0,74 |
| | 3 | 0,731 | 0,546 | 0,625 | 0,889 | 0,664 | 0,76 |
| SINAI_018_1 | 1 | 0,018 | 0,402 | 0,035 | 0,022 | 0,48 | 0,042 |
| | 2 | 0,157 | 0,349 | 0,217 | 0,18 | 0,402 | 0,249 |
| | 3 | 0,411 | 0,284 | 0,336 | 0,468 | 0,323 | 0,382 |
| LSI_018_1 | 1 | 0,406 | 0,245 | 0,305 | 0,797 | 0,48 | 0,599 |
| | 2 | 0,409 | 0,245 | 0,306 | 0,803 | 0,48 | 0,601 |
| | 3 | 0,424 | 0,245 | 0,31 | 0,803 | 0,463 | 0,587 |
| UPC_018_1 | 1 | 0,145 | 0,048 | 0,072 | 0,184 | 0,061 | 0,092 |
| GPLSIUA_018_1 | 1 | 0,692 | 0,118 | 0,201 | 0,897 | 0,153 | 0,261 |
| | 2 | 0,659 | 0,118 | 0,2 | 0,878 | 0,157 | 0,267 |
| UPC_018_3 | 1 | 0,779 | 0,555 | 0,648 | 0,89 | 0,633 | 0,74 |
| | 2 | 0,772 | 0,563 | 0,652 | 0,88 | 0,642 | 0,742 |
| | 3 | 0,64 | 0,559 | 0,597 | 0,735 | 0,642 | 0,685 |
| IXA_018_2 | 1 | 0,644 | 0,616 | 0,629 | 0,708 | 0,677 | 0,692 |
| | 2 | 0,633 | 0,594 | 0,613 | 0,693 | 0,651 | 0,671 |
| | 3 | 0,626 | 0,629 | 0,627 | 0,7 | 0,703 | 0,702 |
| IxaMed | 1 | 0,746 | 0,795 | 0,77 | 0,82 | 0,873 | 0,846 |
| UPC_018_2 | 1 | 0,71 | 0,48 | 0,573 | 0,819 | 0,555 | 0,661 |

This table shows the results for Spanish obtained evaluating jointly the annotation of disabilities and negation (negated disability are considered correct if both negation and disability are correct). Both partial and exact evaluation results are included.